

TJ LIGHTS




CLARITY | PRECISION | BALANCE


SMD

(DOWNLIGHT)

Our SMD ceiling lights are designed to deliver uniform illumination with a wide beam spread.

The optical design minimizes hotspots and shadows, making them suitable for general lighting in residential and commercial indoor spaces.





BEAM ANGLE
120°

3000K

4000K

6500K


Built on
Reliable
Engineering



90%
Energy
Saving



30,000
Hours



3000K

3000K creates a warm, relaxing light that's easy on the eyes. It's ideal for bedrooms, living rooms, cafés, and hotel spaces where comfort matters more than brightness.



4000K

4000K delivers a clean, balanced light that feels natural. It suits kitchens, offices, retail spaces, and clinics where clarity and comfort are equally important.




6500K



6500K produces a bright, daylight-like output for maximum visibility. It's best used in bathrooms, workshops, hospitals, and utility areas where detail and focus are critical.





Sized for Every Room




18 Watts



12 Watts



7 Watts




Working voltage:	AC100-265V	SDCM:	<3@2700K/6000K
Frequency:	50-60Hz	Operating temperature range:	-20 C ~+45 C
Surge protection:	2KV	Ingress protection code:	IP20
Power factor:	>0.5	Protection class iec:	Safety class II
Color rendering index(CRI):		>80	

COB

(SPOTLIGHT)

Our COB ceiling lights are engineered for controlled illumination with a focused beam angle.

Designed for accent and task lighting, they provide precise light placement with reduced spill.



3000K

3000K COB lighting creates a warm, concentrated glow that works well for accent lighting in living rooms, bedrooms, hotels, and hospitality spaces. It's ideal for highlighting textures, walls, or décor without overwhelming the space.




4000K

4000K COB lighting delivers a crisp, controlled beam with natural color balance. It's well suited for retail displays, galleries, offices, and reception areas where focused light and accurate color presentation matter.




Black & White Rim Finishes



Offered in black and white rim options, the COB series adapts easily to different ceiling treatments, providing visual contrast or subtle blending without affecting light performance.





Sized for Every Room




18 Watts



12 Watts





7 Watts





Working voltage:	AC100-265V	SDCM:	<3@2700K/6000K
Frequency:	50-60Hz	Operating temperature range:	-20 C ~+45 C
Surge protection:	2KV	Ingress protection code:	IP20
Power factor:	>0.5	Protection class iec:	Safety class II
Color rendering index(CRI):		>80	




 **ISLAMABAD OFFICE:**
44, I & T Centre,G 8-1,
Islamabad Pakistan

 +92 (51) 2331623
+92 (51) 2331624

 **LAHORE OFFICE:**
Plot No.40-A, Street No. 2
Attari Industrial Estate, 18KM,
Ferozepur Road, Lahore

 +92 303 - 5865174

 www.tj.com.pk

 [/tjcommunity.pk](https://www.instagram.com/tjcommunity.pk)

 [/tjswitches](https://www.facebook.com/tjswitches)

